

MOJO CABLE ENTRY BARRIER, SILVER & BLACK



The MOJO Cable Entry Gate ensures safe, efficient cable management at concerts, festivals, and large-scale events. Designed for multicore cables and cable bridges, it maintains clear access between stage and Front of House (FOH) without compromising barrier strength or safety.

SKU: N/A | **Categories:** [Crowd Control & Fencing Solutions](#), [MOJO Barriers](#)



PRODUCT DESCRIPTION

The MOJO Cable Entry Barrier is a specialist barricade system designed to protect and route cables through a secure crowd control line. Built from welded aluminium with either a **matte black finish** (for low-visibility stage builds) or a **silver finish** (for classic setups), it integrates seamlessly into the MOJO Barrier system.

Engineered for **multicore cables and bridges up to 80 mm in height**, the barrier features a removable vertical plate with a **4-point hinge and bolt system** for quick access during setup and pack-down. The lowered base keeps cables flat and protected, ensuring smooth, kink-free runs between the stage and FOH.

Designed for **high-traffic and high-pressure zones**, the Cable Entry Barrier must be framed between two MOJO Straight Barriers for maximum stability. Its **interlocking nose-plug system** allows it to connect securely with the entire MOJO lineup—including straights, corners, and gates—for a continuous, modular barricade solution.

From stadium concerts and touring festivals to broadcast events, this barrier ensures both **safe crowd management** and **professional-grade cable protection**.

Key Features of the MOJO Cable Entry Barrier:

- **Safe Cable Management** – Pass-through design for multicore cables and bridges up to 80 mm high.
- **Dual Finish Options** – Available in matte black (low-visibility) or classic silver aluminium.
- **Removable Plate** – Hinged vertical plate with bolt system for easy cable access.
- **Durable & Event-Ready** – Welded aluminium frame engineered for high-capacity events.
- **Stable Installation** – Must be secured between two MOJO Straight Barriers for maximum strength.
- **Interlocking System** – Connects seamlessly with the full MOJO Barrier range.

IDEAL APPLICATIONS

- **Concerts & Festivals** – Protect cables running between stage and FOH.
- **Broadcast & Film Sets** – Black finish blends discreetly into production environments.
- **Sporting Events** – Secure, safe cable routes in high-capacity venues.
- **Corporate & Touring Productions** – Fast, professional-grade installation for recurring use.

TECHNICAL SPECS

Weight

44 kg

Dimensions

1 × 1.18 × 1.28

MOJO Rental North America

Los Angeles | Miami | Fort Worth

Your Global Partner for Event Infrastructure

Material

Up to 80 mm

Welded Aluminium



Phone: +1 (717) 664 015 8

us@mojorental.com

mojorental.com

Colour	Silver, Black
Connection	Nose-plug interlocking system + 4-point hinged removable plate
Compatibility	Fully integrates with all MOJO barriers (must be installed between two Straights for stability)



